

**Law Offices of  
YOUNG & BASILE, P.C.  
Patents, Trademarks and Copyrights**

RECEIVED  
CENTRAL FAX CENTER

OCT 11 2005

3001 W. Big Beaver Road  
Suite 624  
Troy, Michigan 48084  
Telephone: (248) 649-3333  
FACSIMILE NO.: (248) 649-3338

2001 Commonwealth Blvd.  
Suite 301  
Ann Arbor, Michigan 48105  
Telephone: (734) 662-0270  
Facsimile: (734) 662-1014

## FACSIMILE TRANSMISSION

DATE: October 11, 2005

TO: Examiner Frank D. Lopez/ Art Group Unit 3745  
United States Patent and Trademark Office

RE: S.N. 10/763,500 (VTE-150-C)

FROM: Thomas D. Helmholdt

FAX NO.: (71) 273-8300

PAGES TO FOLLOW: - ~~15~~ - 16

MESSAGE: Please see attached submission of After Final Amendment for the  
above identified patent application

THE INFORMATION CONTAINED IN THIS FACSIMILE IS ATTORNEY PRIVILEGED AND/OR  
CONFIDENTIAL AND IS INTENDED ONLY FOR THE NAMED RECIPIENT. IF YOU HAVE RECEIVED  
THIS COMMUNICATION IN ERROR, please notify us immediately. You are hereby notified that any  
dissemination, distribution or copying of this information is strictly prohibited. Thank you.

This message was transmitted by Kim Keeler  
in the Troy Office. If transmission  
difficulties occur, please contact sender  
at (248) 649-3333. Please respond to  
FACSIMILE NO. (248) 649-3338

( ) Please call to confirm receipt  
(X) Original will not follow  
( ) Original will follow by:  
    \_\_\_ Regular Mail  
    \_\_\_ Express Mail

OCT. 11. 2005 4:51PM

YOUNG & BASILE

RECEIVED  
CENTRAL FAX CENTER  
NO. 037

P. 2/17

OCT 11 2005

Our Reference: VTE-150-C

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Moler et al.  
Serial Number: 10/763,500  
Filing Date: January 23, 2004  
Examiner/Art Group Unit: Frank D. Lopez/3745  
Title: ACCURATE FLUID OPERATED CYLINDER  
POSITIONING SYSTEM

CERTIFICATION OF FACSIMILE TRANSMISSION


Sir:

Transmitted with this document is an After Final Amendment in the above-identified application.

X No additional fee is required.

X Please charge any additional fees or credit  
any overpayment to Deposit Account Number 25-0115.

I hereby certify that this correspondence was transmitted, via Facsimile, to Examiner  
Frank D. Lopez, Group Art Unit 3745 on October 11, 2005.

  
Thomas D. Heimboldt  
Attorney for Applicant  
Registration No. 33,181  
(248) 649-3333

YOUNG & BASILE, P.C.  
3001 W. Big Beaver Rd.  
Suite 624  
Troy, Michigan 48084

BEST AVAILABLE COPY

OCT. 11. 2005 4:51PM

YOUNG & BASILE

RECEIVED  
CENTRAL FAX CENTER  
NO. 037

OCT 11 2005

Our Reference: VTE-150-C

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Moler et al.  
Serial Number: 10/763,500  
Filing Date: January 23, 2004  
Examiner/Art Group Unit: Frank D. Lopez/3745  
Title: ACCURATE FLUID OPERATED CYLINDER  
POSITIONING SYSTEM

AFTER FINAL AMENDMENT

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Sir:

If any charges or fees must be paid in connection with the following communication, they may be paid out of our Deposit Account No. 25-0115.

In response to the Office Action dated August 11, 2005, please make the amendments shown in the attached papers in this application in the:

- ☐ Amendments to the Abstract.
- ☒ Amendments to the Specification.
- ☒ Amendments to the Claims.
- ☐ Amendments to the Drawings.